Energy Consumption Carline consolute 13 will period (will-yrita with yr) Bester Americy fait-sector Crossitution Rome	und Greenhouse Gas Embaines Reporting - Sar 2017 In: 2017 - 201707 Monitoria Monitoria Miland Tura																													
Dan salar Name	Genation Test	Address	City Postal Code	Total Floor Area Shit	And Designs	Annual Flow (Mc)	Deatling	Electricity Unit	Natural Metaral Gas Quantity Gas Unit	Fuel OII 16 Z Quantity	Peel OII 18 2 Lives	Fuel OI 454 Quantity	Part Oil 48.93MI	Propase Quantity	Propane O	Call Coal	Wood Woo OwnElly Un	od Dida	d Did antity Media	La Reconsider	ti Yes, exter Emission Factor	District Caseling Quantity	Continue Continue	Second(s)	E'Tes, exter Enjudon Tallar	GPG Emissions (Sal	owny Departy internation	Income Internality in AMIN-Manage Little	Building / Operation Identifier	Comments
Strehmion Building	Advantigative offices and related facilities, including munitipal council chambers	2382 Tonge Speet	Terrentia MAR 201	281.016.00 Augure feet	70	21126-00230	2.382.065.00000	4000	221.000.00000 Cubic meter		104		104	4	D/Y	MARK TRANS	MOX 7	2007	25.73202 Gins Null*	70	0.00000	23 50622	Cite Null	100	0.0000					max 201 characters
Community Centre & Arena	Community and ini	1 Lincoln Ave	South King PGS 18D	2,258.00 Square meters	84	0.00000	121,050,85000	KMD-	18,752.00000 Cubic Meter																	0.30033	0.000		000	
Fire Hall	Fire datasecand accorded offices and facilities	168000awa.tue	South Kine PGS 18D	375.00 Square meters	168	0.00000	13,122,2000	KMD-	5,892.80000 Cubic Meter																	0.30033	0.000		000	
Municipal Office	Administrative offices and related facilities, including municipal cauncil chambers	43 Marie St.	South Kine PGS 18D	183.00 Square meters	36	0.00000	96,830,2000																			0.30033	0.000		000	
Public Morks	Storage Sacilities where equipment or vehicles are maintained, repaired ar stored Nacilities related to the treatment of water	3 Inductorial Park 2019 want 31	North Wine PGS 18D	355.00 Sauare meters		0.00000	13,809,80000	800	2,7% 33300 Cubic Meter																	0.30033	0.000			